

**Reviste eligibile pentru Transformative agreements IEEE/IEL
Anelis Plus**

| Acronym | Publication Title | Open Access Type | eISSN | Index | Impact Factor 2024 | 5-Year Impact Factor* | Quartile (JIF) | JCI | Eigen factor | Article Influence Score | Cite Score |
|-----------|--|------------------|-----------|-------|--------------------|-----------------------|----------------|------|--------------|-------------------------|------------|
| ACCESS | IEEE Access | Full Open Access | 2169-3536 | SCIE | 3.4 | 3.7 | Q2 | 0.87 | 0.35701 | 0.698 | 9.8 |
| IEEE DATA | IEEE Data Descriptions NEW for 2024! | Full Open Access | 2995-4274 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| J-ISPIN | IEEE Journal of Indoor and Seamless Positioning and Navigation | Full Open Access | 2832-7322 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| JMW | IEEE Journal of Microwaves | Full Open Access | 2692-8388 | ESCI | 6.9 | 6.9 | Q1 | 1.64 | 0.00208 | 1.893 | 10.7 |
| JSAS | IEEE Journal of Selected Areas in Sensors NEW for 2024! | Full Open Access | 2836-2071 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| J-STARS | IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing | Full Open Access | 2151-1535 | SCIE | 4.7 | 5.0 | Q1 | 1.13 | 0.02888 | 1.142 | 9.3 |
| JSTEAP | IEEE Journal of Selected Topics in Electromagnetics, Antennas and Propagation NEW for 2025! | Full Open Access | TBA | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| JEDS | IEEE Journal of the Electron Devices Society | Full Open Access | 2168-6734 | SCIE | 2.0 | 2.3 | Q3 | 0.55 | 0.00387 | 0.526 | 5.2 |
| JTEHM | IEEE Journal of Translational Engineering in Health and Medicine | Full Open Access | 2168-2372 | SCIE | 3.7 | 3.7 | Q2 | 0.78 | 0.00205 | 0.881 | 7.4 |
| JXCDC | IEEE Journal on Exploratory Solid-State Computational Devices and Circuits | Full Open Access | 2329-9231 | ESCI | 2.0 | 2.3 | Q3 | 0.54 | 0.00063 | 0.707 | 5 |
| OAJPE | IEEE Open Access Journal of Power and Energy | Full Open Access | 2687-7910 | ESCI | 3.3 | 4.0 | Q3 | 0.57 | 0.00145 | 1.288 | 7.8 |
| OJAP | IEEE Open Journal of Antennas and Propagation | Full Open Access | 2637-6431 | ESCI | 3.5 | 3.6 | Q2 | 0.80 | 0.00221 | 1.037 | 6.5 |
| OJCAS | IEEE Open Journal of Circuits and Systems | Full Open Access | 2644-1225 | ESCI | 2.4 | 2.5 | Q2 | 0.44 | 0.00063 | 0.784 | N/A |
| OJ-CSS | IEEE Open Journal of Control Systems | Full Open Access | 2694-085X | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| OJEMB | IEEE Open Journal of Engineering in Medicine and Biology | Full Open Access | 2644-1276 | ESCI | 2.7 | 3.6 | Q3 | 0.81 | 0.00059 | 0.768 | 9.5 |
| OJIA | IEEE Open Journal of Industry Applications | Full Open Access | 2644-1241 | ESCI | 7.9 | 8.7 | Q1 | 1.28 | 0.00129 | 2.993 | 13.5 |
| OJIM | IEEE Open Journal of Instrumentation and Measurement | Full Open Access | 2768-7236 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| OJITS | IEEE Open Journal of Intelligent Transportation Systems | Full Open Access | 2687-7813 | ESCI | 4.6 | 4.3 | Q2 | 0.84 | 0.00065 | 0.670 | 5.4 |
| OJNANO | IEEE Open Journal of Nanotechnology | Full Open Access | 2644-1292 | ESCI | 1.8 | 2.0 | Q3 | 0.33 | 0.00021 | 0.397 | 3.9 |
| OJPEL | IEEE Open Journal of Power Electronics | Full Open Access | 2644-1314 | ESCI | 5.0 | 4.8 | Q1 | 0.81 | 0.00175 | 1.589 | 8.6 |
| OJSP | IEEE Open Journal of Signal Processing | Full Open Access | 2644-1322 | ESCI | 2.9 | 3.3 | Q2 | 0.59 | 0.00094 | 1.423 | 5.3 |
| OJSE | IEEE Open Journal of Systems Engineering | Full Open Access | 2771-9987 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| OJCOMS | IEEE Open Journal of the Communications Society | Full Open Access | 2644-125X | ESCI | 6.3 | 6.9 | Q1 | 1.51 | 0.00686 | 2.046 | 13.7 |
| OJCS | IEEE Open Journal of the Computer Society | Full Open Access | 2644-1268 | ESCI | 5.7 | 6.3 | Q1 | 1.31 | 0.00090 | 1.439 | 12.6 |
| OJIES | IEEE Open Journal of the Industrial Electronics Society | Full Open Access | 2644-1284 | ESCI | 5.2 | 5.3 | Q1 | 1.16 | 0.00136 | 1.365 | 10.8 |
| OJSSCS | IEEE Open Journal of the Solid-State Circuits Society | Full Open Access | 2644-1349 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| OJUFC | IEEE Open Journal of Ultrasonics, Ferroelectrics, and Frequency Control | Full Open Access | 2694-0884 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

| | | | | | | | | | | | |
|----------|--|--------------------|-----------|------|------|------|-----|------|---------|-------|------|
| OJVT | IEEE Open Journal of Vehicular Technology | Full Open Access | 2644-1330 | ESCI | 5.3 | 6.1 | Q1 | 1.12 | 0.00105 | 1.653 | 9.6 |
| OJID | IEEE Open Journal on Immersive Displays NEW for 2024! | Full Open Access | 2836-211X | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| JPHOT | IEEE Photonics Journal | Full Open Access | 1943-0655 | SCIE | 2.1 | 2.1 | Q3 | 0.53 | 0.01022 | 0.443 | 4.5 |
| JSR | IEEE Sensors Reviews NEW for 2024! | Full Open Access | 2995-7478 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| LSMC | IEEE Systems, Man, and Cybernetics Letters NEW for 2024! | Full Open Access | 2836-628X | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-MLCN | IEEE Transactions on Machine Learning in Communications and Networking | Full Open Access | 2831-316X | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-NSRE | IEEE Transactions on Neural Systems and Rehabilitation Engineering | Full Open Access | 1558-0210 | SCIE | 4.8 | 5.4 | Q2 | 1.75 | 0.01269 | 1.111 | 8.6 |
| TP | IEEE Transactions on Privacy NEW for 2024! | Full Open Access | 2836-208X | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| TQE | IEEE Transactions on Quantum Engineering | Full Open Access | 2689-1808 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 8 |
| M-C | Computer | Hybrid Open Access | 1558-0814 | SCIE | 2.0 | 2.6 | Q3 | 0.50 | 0.00322 | 0.662 | 3.9 |
| CiSE | Computing in Science & Engineering | Hybrid Open Access | 1558-366X | SCIE | 1.8 | 1.8 | Q3 | 0.34 | 0.00111 | 0.495 | 4.2 |
| M-AHC | IEEE Annals of the History of Computing | Hybrid Open Access | 1934-1547 | SCIE | 0.5 | 0.6 | Q4 | 0.34 | 0.00024 | 0.286 | 0.8 |
| M-AP | IEEE Antennas and Propagation Magazine | Hybrid Open Access | 1558-4143 | SCIE | 4.2 | 3.3 | Q2 | 0.90 | 0.00239 | 0.998 | 7 |
| L-AWP | IEEE Antennas and Wireless Propagation Letters | Hybrid Open Access | 1548-5757 | SCIE | 3.7 | 4.1 | Q2 | 0.96 | 0.02561 | 1.169 | 8 |
| M-BITS | IEEE BITS the Information Theory Magazine | Hybrid Open Access | 2692-4110 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| J-CJECE | IEEE Canadian Journal of Electrical and Computer Engineering | Hybrid Open Access | 2694-1783 | SCIE | 2.1 | 2.1 | Q3 | 0.41 | 0.00026 | 0.359 | 3.7 |
| L-COMM | IEEE Communications Letters | Hybrid Open Access | 1558-2558 | SCIE | 3.7 | 3.5 | Q2 | 0.98 | 0.02875 | 1.054 | 8.1 |
| M-COMM | IEEE Communications Magazine | Hybrid Open Access | 1558-1896 | SCIE | 8.3 | 9.4 | Q1 | 2.43 | 0.02308 | 2.823 | 19.8 |
| M-COMSTD | IEEE Communications Standards Magazine | Hybrid Open Access | 2471-2833 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 10.8 |
| COMST | IEEE Communications Surveys & Tutorials | Hybrid Open Access | 1553-877X | SCIE | 34.4 | 34.0 | Q1 | 9.38 | 0.03668 | 9.103 | 80.2 |
| L-CA | IEEE Computer Architecture Letters | Hybrid Open Access | 1556-6064 | SCIE | 1.4 | 1.7 | Q4 | 0.41 | 0.00065 | 0.346 | 4.6 |
| M-CG&A | IEEE Computer Graphics and Applications | Hybrid Open Access | 1558-1756 | SCIE | 1.7 | 2.0 | Q3 | 0.40 | 0.00111 | 0.481 | 3.2 |
| L-CSS | IEEE Control Systems Letters | Hybrid Open Access | 2475-1456 | ESCI | 2.4 | 2.4 | Q2 | 0.6 | 0.0128 | 1.017 | 4.4 |
| M-EI | IEEE Electrical Insulation Magazine | Hybrid Open Access | 1558-4402 | SCIE | 2.6 | 3.1 | Q2 | 0.57 | 0.00086 | 0.952 | 4.6 |
| L-ED | IEEE Electron Device Letters | Hybrid Open Access | 1558-0563 | SCIE | 4.1 | 4.2 | Q2 | 1.13 | 0.01710 | 0.906 | 8.2 |
| ED-M | IEEE Electron Devices Magazine | Hybrid Open Access | 2832-7691 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| EDR | IEEE Electron Devices Reviews NEW for 2024! | Hybrid Open Access | 2995-424X | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| L-ES | IEEE Embedded Systems Letters | Hybrid Open Access | 1943-0671 | SCIE | 1.7 | 1.6 | Q3 | 0.50 | 0.00055 | 0.339 | 3.3 |
| ESM | IEEE Energy Sustainability Magazine NEW for 2025! | Hybrid Open Access | 2998-3991 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| R-EM | IEEE Engineering Management Review | Hybrid Open Access | 1937-4178 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 7.4 |
| L-GRS | IEEE Geoscience and Remote Sensing Letters | Hybrid Open Access | 1558-0571 | SCIE | 4.0 | 4.4 | Q2 | 1.08 | 0.02996 | 1.026 | 7.6 |
| M-IA | IEEE Industry Applications Magazine | Hybrid Open Access | 1558-0598 | SCIE | 0.7 | 0.9 | Q4 | 0.13 | 0.00041 | 0.234 | 1.6 |
| M-IM | IEEE Instrumentation & Measurement Magazine | Hybrid Open Access | 1941-0123 | SCIE | 1.6 | 1.6 | Q3 | 0.47 | 0.00079 | 0.285 | 4.2 |
| M-IS | IEEE Intelligent Systems | Hybrid Open Access | 1941-1294 | SCIE | 5.6 | 5.6 | Q1 | 1.33 | 0.00297 | 1.435 | 13.8 |
| M-IC | IEEE Internet Computing | Hybrid Open Access | 1941-0131 | SCIE | 3.7 | 3.1 | Q1 | 1.19 | 0.00139 | 0.754 | 7.6 |
| J-IOT | IEEE Internet of Things Journal | Hybrid Open Access | 2327-4662 | SCIE | 8.2 | 9.0 | Q1 | 2.42 | 0.09103 | 1.982 | 17.6 |
| M-IOT | IEEE Internet of Things Magazine | Hybrid Open Access | 2576-3199 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |

| | | | | | | | | | | | |
|-----------|---|--------------------|-----------|------|------|------|-----|------|---------|-------|------|
| J-BHI | IEEE Journal of Biomedical and Health Informatics | Hybrid Open Access | 2168-2208 | SCIE | 6.7 | 7.1 | Q1 | 1.96 | 0.02199 | 1.504 | 13.6 |
| J-ERM | IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology | Hybrid Open Access | 2469-7249 | ESCI | 3.0 | 2.8 | Q2 | 0.82 | 0.00134 | 0.666 | 6.4 |
| J-ESTIE | IEEE Journal of Emerging and Selected Topics in Industrial Electronics | Hybrid Open Access | 2687-9743 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| J-ESTPE | IEEE Journal of Emerging and Selected Topics in Power Electronics | Hybrid Open Access | 2168-6785 | SCIE | 4.6 | 5.3 | Q1 | 1.41 | 0.02927 | 1.765 | 12.5 |
| J-OE | IEEE Journal of Oceanic Engineering | Hybrid Open Access | 1558-1691 | SCIE | 3.8 | 4.2 | Q1 | 1.09 | 0.00420 | 0.964 | 9.6 |
| J-PHOTOV | IEEE Journal of Photovoltaics | Hybrid Open Access | 2156-3403 | SCIE | 2.5 | 3.1 | Q3 | 0.54 | 0.00638 | 0.676 | 7 |
| J-QE | IEEE Journal of Quantum Electronics | Hybrid Open Access | 1558-1713 | SCIE | 2.2 | 2.1 | Q3 | 0.62 | 0.00168 | 0.469 | 4.7 |
| J-RFID | IEEE Journal of Radio Frequency Identification | Hybrid Open Access | 2469-7281 | ESCI | 2.3 | 2.6 | Q2 | 0.68 | 0.00114 | 0.486 | 5.7 |
| J-STQE | IEEE Journal of Selected Topics in Quantum Electronics | Hybrid Open Access | 1558-4542 | SCIE | 4.3 | 4.4 | Q1 | 1.37 | 0.00892 | 1.121 | 10.6 |
| J-STSP | IEEE Journal of Selected Topics in Signal Processing | Hybrid Open Access | 1941-0484 | SCIE | 8.7 | 8.4 | Q1 | 2.02 | 0.01381 | 3.143 | 19 |
| J-SSC | IEEE Journal of Solid-State Circuits | Hybrid Open Access | 1558-173X | SCIE | 4.6 | 5.6 | Q1 | 1.22 | 0.01830 | 1.397 | 11 |
| JETCAS | IEEE Journal on Emerging and Selected Topics in Circuits and Systems | Hybrid Open Access | 2156-3365 | SCIE | 3.7 | 4.6 | Q2 | 1.09 | 0.00377 | 1.389 | 8.5 |
| J-FLEX | IEEE Journal on Flexible Electronics | Hybrid Open Access | 2768-167X | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| J-MASS | IEEE Journal on Miniaturization for Air and Space Systems | Hybrid Open Access | 2576-3164 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 4.4 |
| J-MMCT | IEEE Journal on Multiscale and Multiphysics Computational Techniques | Hybrid Open Access | 2379-8793 | ESCI | 1.8 | 1.8 | Q3 | 0.44 | 0.00074 | 0.560 | 4.3 |
| J-SAC | IEEE Journal on Selected Areas in Communications | Hybrid Open Access | 1558-0008 | SCIE | 13.8 | 13.1 | Q1 | 3.67 | 0.03999 | 4.445 | 30 |
| J-SAIT | IEEE Journal on Selected Areas in Information Theory | Hybrid Open Access | 2641-8770 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 8.2 |
| L-EMCPA | IEEE Letters on Electromagnetic Compatibility Practice and Applications | Hybrid Open Access | 2637-6423 | ESCI | 0.9 | 0.9 | Q4 | 0.25 | 0.00019 | 0.244 | N/A |
| L-MAG | IEEE Magnetics Letters | Hybrid Open Access | 1949-3088 | SCIE | 1.1 | 1.3 | Q4 | 0.27 | 0.00095 | 0.321 | 2.4 |
| M-MICRO | IEEE Micro | Hybrid Open Access | 1937-4143 | SCIE | 2.8 | 4.7 | Q2 | 0.92 | 0.00320 | 1.282 | 7.5 |
| L-MWT | IEEE Microwave and Wireless Technology Letters** | Hybrid Open Access | 1558-1764 | SCIE | 2.9 | 3.0 | Q2 | 0.73 | 0.01066 | 0.784 | 6 |
| M-MULTI | IEEE MultiMedia | Hybrid Open Access | 1941-0166 | SCIE | 2.3 | 3.0 | Q2 | 0.74 | 0.00112 | 0.808 | 6.4 |
| M-NET | IEEE Network | Hybrid Open Access | 1558-156X | SCIE | 6.8 | 8.5 | Q1 | 1.96 | 0.01843 | 2.340 | 20.4 |
| L-NET | IEEE Networking Letters | Hybrid Open Access | 2576-3156 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| M-PVC | IEEE Pervasive Computing | Hybrid Open Access | 1558-2590 | SCIE | 1.6 | 2.8 | Q3 | 0.45 | 0.00073 | 0.535 | 4.1 |
| L-PT | IEEE Photonics Technology Letters | Hybrid Open Access | 1941-0174 | SCIE | 2.3 | 2.2 | Q2 | 0.64 | 0.00824 | 0.475 | 5 |
| M-RL | IEEE Reliability Magazine NEW for 2024! | Hybrid Open Access | 2641-8819 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| R-BME | IEEE Reviews in Biomedical Engineering | Hybrid Open Access | 1941-1189 | SCIE | 17.2 | N/A | Q1 | 2.47 | 0.00228 | N/A | 31.7 |
| IEEE-RITA | IEEE Revista Iberoamericana de Tecnologías del Aprendizaje | Hybrid Open Access | 1932-8540 | ESCI | 1.0 | 1.2 | Q4 | 0.31 | 0.00032 | 0.217 | 4.3 |
| M-RA | IEEE Robotics & Automation Magazine | Hybrid Open Access | 1558-223X | SCIE | 5.4 | 6.8 | Q1 | 1.00 | 0.00256 | 1.488 | 8.8 |
| L-RA | IEEE Robotics and Automation Letters | Hybrid Open Access | 2377-3766 | SCIE | 4.6 | 5.5 | Q2 | 1.23 | 0.04856 | 1.258 | 9.6 |
| RAP | IEEE Robotics and Automation Practice NEW for 2024! | Hybrid Open Access | 2995-4304 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| M-S&P | IEEE Security & Privacy | Hybrid Open Access | 1558-4046 | SCIE | 2.9 | 3.5 | Q2 | 0.57 | 0.00158 | 0.778 | 4.3 |
| J-SEN | IEEE Sensors Journal | Hybrid Open Access | 1558-1748 | SCIE | 4.3 | 4.2 | Q1 | 1.02 | 0.05644 | 0.730 | 7.7 |
| L-SEN | IEEE Sensors Letters | Hybrid Open Access | 2475-1472 | ESCI | 2.2 | 2.2 | Q3 | 0.46 | 0.00266 | 0.432 | 3.5 |
| L-SP | IEEE Signal Processing Letters | Hybrid Open Access | 1558-2361 | SCIE | 3.2 | 3.4 | Q2 | 0.86 | 0.01892 | 1.049 | 7.4 |

| | | | | | | | | | | | |
|---------|--|--------------------|-----------|------|-----|------|-----|------|---------|-------|------|
| M-SOFT | IEEE Software | Hybrid Open Access | 1937-4194 | SCIE | 3.3 | 3.8 | Q2 | 0.81 | 0.00216 | 0.810 | 5.5 |
| L-SSC | IEEE Solid-State Circuits Letters | Hybrid Open Access | 2573-9603 | ESCI | 2.2 | 2.0 | Q3 | 0.41 | 0.00265 | 0.816 | 4.3 |
| SPEC | IEEE Spectrum | Hybrid Open Access | 1939-9340 | SCIE | 2.6 | 2.8 | Q2 | 0.31 | 0.00192 | 0.948 | 2.5 |
| J-SYS | IEEE Systems Journal | Hybrid Open Access | 1937-9234 | SCIE | 4.0 | 3.9 | Q1 | 1.06 | 0.02180 | 0.959 | 9.8 |
| T-AES | IEEE Transactions on Aerospace and Electronic Systems | Hybrid Open Access | 1557-9603 | SCIE | 5.1 | 4.7 | Q1 | 1.43 | 0.01597 | 1.197 | 7.8 |
| T-AFFC | IEEE Transactions on Affective Computing | Hybrid Open Access | 1949-3045 | SCIE | 9.6 | 11.0 | Q1 | 2.25 | 0.00822 | 2.525 | 15 |
| T-AFE | IEEE Transactions on AgriFood Electronics | Hybrid Open Access | 2771-9529 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-AP | IEEE Transactions on Antennas and Propagation | Hybrid Open Access | 1558-2221 | SCIE | 4.6 | 5.0 | Q1 | 1.30 | 0.04543 | 1.136 | 10.4 |
| T-ASC | IEEE Transactions on Applied Superconductivity | Hybrid Open Access | 1558-2515 | SCIE | 1.7 | 1.5 | Q3 | 0.37 | 0.00996 | 0.313 | 3.5 |
| T-AI | IEEE Transactions on Artificial Intelligence | Hybrid Open Access | 2691-4581 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 7.7 |
| T-AC | IEEE Transactions on Automatic Control | Hybrid Open Access | 1558-2523 | SCIE | 6.2 | 6.6 | Q1 | 1.57 | 0.05933 | 2.637 | 11.3 |
| T-ASE | IEEE Transactions on Automation Science and Engineering | Hybrid Open Access | 1558-3783 | SCIE | 5.9 | 6.0 | Q1 | 1.17 | 0.01369 | 1.391 | 12.5 |
| T-BD | IEEE Transactions on Big Data | Hybrid Open Access | 2332-7790 | SCIE | 7.5 | 5.8 | Q1 | 2.48 | 0.00420 | 1.417 | 11.8 |
| T-BCAS | IEEE Transactions on Biomedical Circuits and Systems | Hybrid Open Access | 1940-9990 | SCIE | 3.8 | 4.8 | Q2 | 0.96 | 0.00615 | 1.189 | 10 |
| T-BME | IEEE Transactions on Biomedical Engineering | Hybrid Open Access | 1558-2531 | SCIE | 4.4 | 4.8 | Q2 | 1.06 | 0.01642 | 1.171 | 9.4 |
| T-BIOM | IEEE Transactions on Biometrics, Behavior, and Identity Science | Hybrid Open Access | 2637-6407 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 10.9 |
| T-BC | IEEE Transactions on Broadcasting | Hybrid Open Access | 1557-9611 | SCIE | 3.2 | 3.6 | Q2 | 0.98 | 0.00303 | 0.923 | 9.4 |
| T-CASAI | IEEE Transactions on Circuits and Systems for Artificial Intelligence NEW for 2024! | Hybrid Open Access | 2996-6647 | ESCI | 2.4 | 2.4 | Q2 | 0.60 | 0.01280 | 1.017 | N/A |
| T-CSVT | IEEE Transactions on Circuits and Systems for Video Technology | Hybrid Open Access | 1558-2205 | SCIE | 8.3 | 7.1 | Q1 | 2.28 | 0.03142 | 1.915 | 13.8 |
| T-CAS1 | IEEE Transactions on Circuits and Systems--I: Regular Papers | Hybrid Open Access | 1558-0806 | SCIE | 5.2 | 4.5 | Q1 | 1.18 | 0.02310 | 1.261 | 9.8 |
| T-CAS2 | IEEE Transactions on Circuits and Systems--II: Express Briefs | Hybrid Open Access | 1558-3791 | SCIE | 4.0 | 3.7 | Q2 | 1.12 | 0.02570 | 0.944 | 7.9 |
| T-CC | IEEE Transactions on Cloud Computing | Hybrid Open Access | 2168-7161 | SCIE | 5.3 | 4.6 | Q1 | 2.31 | 0.00553 | 1.093 | 9.4 |
| T-CDS | IEEE Transactions on Cognitive and Developmental Systems | Hybrid Open Access | 2379-8939 | SCIE | 5.0 | 4.6 | Q1 | 1.26 | 0.00409 | 1.115 | 7.2 |
| T-CCN | IEEE Transactions on Cognitive Communications and Networking | Hybrid Open Access | 2332-7731 | SCIE | 7.4 | 6.9 | Q1 | 1.99 | 0.00846 | 2.001 | 15.5 |
| T-COMM | IEEE Transactions on Communications | Hybrid Open Access | 1558-0857 | SCIE | 7.2 | 6.3 | Q1 | 1.88 | 0.04874 | 2.070 | 16.1 |
| T-CPMT | IEEE Transactions on Components, Packaging and Manufacturing Technology | Hybrid Open Access | 2156-3985 | SCIE | 2.3 | 2.1 | Q2 | 0.45 | 0.00418 | 0.422 | 4.7 |
| T-CI | IEEE Transactions on Computational Imaging | Hybrid Open Access | 2333-9403 | SCIE | 4.2 | 4.7 | Q2 | 1.04 | 0.00690 | 1.913 | 8.2 |
| T-CSS | IEEE Transactions on Computational Social Systems | Hybrid Open Access | 2329-924X | SCIE | 4.5 | 4.6 | Q1 | 0.96 | 0.00716 | 0.923 | 10 |
| T-CAD | IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems | Hybrid Open Access | 1937-4151 | SCIE | 2.7 | 2.9 | Q2 | 0.66 | 0.00738 | 0.576 | 5.6 |
| T-C | IEEE Transactions on Computers | Hybrid Open Access | 1557-9956 | SCIE | 3.6 | 3.2 | Q2 | 0.96 | 0.00585 | 0.835 | 6.6 |
| T-CE | IEEE Transactions on Consumer Electronics | Hybrid Open Access | 1558-4127 | SCIE | 4.3 | 3.9 | Q1 | 1.13 | 0.00142 | 0.735 | 7.7 |
| T-CNS | IEEE Transactions on Control of Network Systems | Hybrid Open Access | 2372-2533 | SCIE | 4.0 | 4.3 | Q2 | 0.96 | 0.01230 | 1.841 | 7.8 |
| T-CST | IEEE Transactions on Control Systems Technology | Hybrid Open Access | 1558-0865 | SCIE | 4.9 | 5.3 | Q1 | 1.14 | 0.01672 | 1.596 | 10.7 |
| T-CYB | IEEE Transactions on Cybernetics | Hybrid Open Access | 2168-2275 | SCIE | 9.4 | 10.3 | Q1 | 2.17 | 0.09061 | 3.230 | 25.4 |
| T-DSC | IEEE Transactions on Dependable and Secure Computing | Hybrid Open Access | 1941-0018 | SCIE | 7.0 | 6.8 | Q1 | 2.50 | 0.01010 | 1.621 | 11.2 |
| T-DMR | IEEE Transactions on Device and Materials Reliability | Hybrid Open Access | 1558-2574 | SCIE | 2.5 | 2.1 | Q2 | 0.52 | 0.00145 | 0.429 | 4.8 |

| | | | | | | | | | | | |
|---------|--|--------------------|-----------|------|------|------|-----|------|---------|-------|------|
| T-DEI | IEEE Transactions on Dielectrics and Electrical Insulation | Hybrid Open Access | 1558-4135 | SCIE | 2.9 | 3.0 | Q2 | 0.65 | 0.00558 | 0.491 | 6 |
| T-E | IEEE Transactions on Education | Hybrid Open Access | 1557-9638 | SCIE | 2.1 | 2.4 | Q2 | 0.90 | 0.00094 | 0.447 | 6 |
| T-EMC | IEEE Transactions on Electromagnetic Compatibility | Hybrid Open Access | 1558-187X | SCIE | 2.0 | 2.0 | Q3 | 0.50 | 0.00448 | 0.413 | 4.8 |
| T-ED | IEEE Transactions on Electron Devices | Hybrid Open Access | 1557-9646 | SCIE | 2.9 | 2.9 | Q2 | 0.71 | 0.02259 | 0.581 | 5.8 |
| T-ETCI | IEEE Transactions on Emerging Topics in Computational Intelligence | Hybrid Open Access | 2471-285X | SCIE | 5.3 | 5.7 | Q1 | 1.01 | 0.00521 | 1.504 | 10.3 |
| T-ETC | IEEE Transactions on Emerging Topics in Computing | Hybrid Open Access | 2168-6750 | SCIE | 5.1 | 4.5 | Q1 | 1.86 | 0.00457 | 1.096 | 12.1 |
| T-EC | IEEE Transactions on Energy Conversion | Hybrid Open Access | 1558-0059 | SCIE | 5.0 | 5.1 | Q2 | 1.01 | 0.01508 | 1.442 | 11.1 |
| T-EMPR | IEEE Transactions on Energy Markets, Policy and Regulation | Hybrid Open Access | 2771-9626 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-EM | IEEE Transactions on Engineering Management | Hybrid Open Access | 1558-0040 | SCIE | 4.6 | 4.9 | Q1 | 1.23 | 0.00843 | 0.829 | 10.3 |
| T-EVC | IEEE Transactions on Evolutionary Computation | Hybrid Open Access | 1941-0026 | SCIE | 11.7 | 15.5 | Q1 | 2.77 | 0.01443 | 4.185 | 21.9 |
| T-CASAI | IEEE Transactions on Field Robotics NEW for 2024! | Hybrid Open Access | 2996-6647 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-FUZZ | IEEE Transactions on Fuzzy Systems | Hybrid Open Access | 1941-0034 | SCIE | 10.7 | 9.7 | Q1 | 2.95 | 0.03232 | 2.489 | 20.5 |
| T-G | IEEE Transactions on Games | Hybrid Open Access | 2475-1510 | SCIE | 1.7 | 2.0 | Q3 | 0.48 | 0.00057 | 0.325 | 4.6 |
| T-GRS | IEEE Transactions on Geoscience and Remote Sensing | Hybrid Open Access | 1558-0644 | SCIE | 7.5 | 7.6 | Q1 | 1.88 | 0.07830 | 1.665 | 11.5 |
| T-GCN | IEEE Transactions on Green Communications and Networking | Hybrid Open Access | 2473-2400 | SCIE | 5.3 | 4.5 | Q1 | 1.45 | 0.00618 | 1.236 | 9.3 |
| T-H | IEEE Transactions on Haptics | Hybrid Open Access | 2329-4051 | SCIE | 2.4 | 2.8 | Q2 | 0.41 | 0.00153 | 0.504 | 5.9 |
| T-HMS | IEEE Transactions on Human-Machine Systems | Hybrid Open Access | 2168-2305 | SCIE | 3.5 | 3.9 | Q2 | 0.56 | 0.00288 | 0.861 | 7.1 |
| T-IP | IEEE Transactions on Image Processing | Hybrid Open Access | 1941-0042 | SCIE | 10.8 | 12.1 | Q1 | 2.00 | 0.08806 | 3.681 | 20.9 |
| T-ICPS | IEEE Transactions on Industrial Cyber-Physical Systems | Hybrid Open Access | 2832-7004 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-IE | IEEE Transactions on Industrial Electronics | Hybrid Open Access | 1557-9948 | SCIE | 7.5 | 8.0 | Q1 | 2.07 | 0.09631 | 2.134 | 16.8 |
| T-IINF | IEEE Transactions on Industrial Informatics | Hybrid Open Access | 1941-0050 | SCIE | 11.7 | 11.4 | Q1 | 2.58 | 0.08085 | 2.751 | 24.1 |
| T-IA | IEEE Transactions on Industry Applications | Hybrid Open Access | 1939-9367 | SCIE | 4.2 | 4.5 | Q2 | 1.31 | 0.03227 | 1.162 | 9.9 |
| T-IFS | IEEE Transactions on Information Forensics and Security | Hybrid Open Access | 1556-6021 | SCIE | 6.3 | 7.3 | Q1 | 1.77 | 0.02344 | 1.990 | 14.4 |
| T-IT | IEEE Transactions on Information Theory | Hybrid Open Access | 1557-9654 | SCIE | 2.2 | 2.4 | Q3 | 0.66 | 0.02221 | 1.096 | 5.7 |
| T-IM | IEEE Transactions on Instrumentation and Measurement | Hybrid Open Access | 1557-9662 | SCIE | 5.6 | 5.6 | Q1 | 1.37 | 0.04439 | 1.021 | 9 |
| T-ITS | IEEE Transactions on Intelligent Transportation Systems | Hybrid Open Access | 1558-0016 | SCIE | 7.9 | 8.3 | Q1 | 2.00 | 0.06195 | 1.801 | 14.8 |
| T-IV | IEEE Transactions on Intelligent Vehicles | Hybrid Open Access | 2379-8904 | SCIE | 14.0 | 11.2 | Q1 | 2.44 | 0.00526 | 2.084 | 12.1 |
| T-KDE | IEEE Transactions on Knowledge and Data Engineering | Hybrid Open Access | 1558-2191 | SCIE | 8.9 | 8.8 | Q1 | 2.55 | 0.02476 | 2.428 | 11.7 |
| T-LT | IEEE Transactions on Learning Technologies | Hybrid Open Access | 1939-1382 | SCIE | 2.9 | 3.8 | Q2 | 1.09 | 0.00161 | 0.721 | 7.5 |
| T-MAG | IEEE Transactions on Magnetics | Hybrid Open Access | 1941-0069 | SCIE | 2.1 | 2.0 | Q3 | 0.47 | 0.01229 | 0.482 | 4 |
| T-MAT | IEEE Transactions on Materials for Electron Devices NEW for 2024! | Hybrid Open Access | 2993-1576 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-MI | IEEE Transactions on Medical Imaging | Hybrid Open Access | 1558-254X | SCIE | 8.9 | 11.3 | Q1 | 2.30 | 0.03777 | 2.966 | 21.8 |
| T-MRB | IEEE Transactions on Medical Robotics and Bionics | Hybrid Open Access | 2576-3202 | ESCI | 3.4 | 3.7 | Q2 | 0.79 | 0.00225 | 0.897 | 6.8 |
| T-MTT | IEEE Transactions on Microwave Theory and Techniques | Hybrid Open Access | 1557-9670 | SCIE | 4.1 | 4.2 | Q2 | 1.02 | 0.02102 | 0.961 | 8.6 |
| T-MC | IEEE Transactions on Mobile Computing | Hybrid Open Access | 1558-0660 | SCIE | 7.7 | 6.5 | Q1 | 2.40 | 0.01557 | 1.590 | 12.9 |
| T-MBMC | IEEE Transactions on Molecular, Biological, and Multi-Scale Communications | Hybrid Open Access | 2332-7804 | ESCI | 2.4 | N/A | Q2 | 0.63 | 0.00042 | N/A | 3.9 |
| T-MM | IEEE Transactions on Multimedia | Hybrid Open Access | 1941-0077 | SCIE | 8.4 | 8.0 | Q1 | 2.39 | 0.02510 | 2.084 | 11.7 |

| | | | | | | | | | | | |
|--------|---|--------------------|-----------|------|------|------|-----|------|---------|-------|------|
| T-NB | IEEE Transactions on NanoBioscience | Hybrid Open Access | 1558-2639 | SCIE | 3.7 | 3.0 | Q1 | 0.82 | 0.00158 | 0.581 | 7 |
| T-NANO | IEEE Transactions on Nanotechnology | Hybrid Open Access | 1941-0085 | SCIE | 2.1 | 2.3 | Q3 | 0.47 | 0.00237 | 0.422 | 4.8 |
| T-NSM | IEEE Transactions on Network and Service Management | Hybrid Open Access | 1932-4537 | SCIE | 4.7 | 4.6 | Q1 | 1.25 | 0.00951 | 1.003 | 9.3 |
| T-NSE | IEEE Transactions on Network Science and Engineering | Hybrid Open Access | 2327-4697 | SCIE | 6.7 | 6.0 | Q1 | 2.42 | 0.01298 | 1.608 | 12.6 |
| T-NNLS | IEEE Transactions on Neural Networks and Learning Systems | Hybrid Open Access | 2162-2388 | SCIE | 10.2 | 10.4 | Q1 | 2.40 | 0.09427 | 2.999 | 23.8 |
| T-NS | IEEE Transactions on Nuclear Science | Hybrid Open Access | 1558-1578 | SCIE | 1.9 | 1.8 | Q3 | 0.67 | 0.00515 | 0.384 | 3.7 |
| T-PDS | IEEE Transactions on Parallel and Distributed Systems | Hybrid Open Access | 1558-2183 | SCIE | 5.6 | 4.5 | Q1 | 1.62 | 0.01120 | 1.138 | 11 |
| T-PAMI | IEEE Transactions on Pattern Analysis and Machine Intelligence | Hybrid Open Access | 1939-3539 | SCIE | 20.8 | 22.2 | Q1 | 5.70 | 0.09432 | 6.861 | 28.4 |
| T-PS | IEEE Transactions on Plasma Science | Hybrid Open Access | 1939-9375 | SCIE | 1.3 | 1.2 | Q3 | 0.47 | 0.00722 | 0.291 | 3 |
| T-PWRD | IEEE Transactions on Power Delivery | Hybrid Open Access | 1937-4208 | SCIE | 3.8 | 4.2 | Q2 | 1.08 | 0.01641 | 1.085 | 9 |
| T-PEL | IEEE Transactions on Power Electronics | Hybrid Open Access | 1941-0107 | SCIE | 6.6 | 6.9 | Q1 | 1.72 | 0.07802 | 1.675 | 15.2 |
| T-PWRS | IEEE Transactions on Power Systems | Hybrid Open Access | 1558-0679 | SCIE | 6.5 | 7.4 | Q1 | 1.70 | 0.04587 | 2.075 | 15.8 |
| T-PC | IEEE Transactions on Professional Communication | Hybrid Open Access | 1558-1500 | SSCI | 1.6 | 1.7 | Q2 | 0.56 | 0.00035 | 0.327 | 3.2 |
| T-RS | IEEE Transactions on Radar Systems | Hybrid Open Access | 2832-7357 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-RPMS | IEEE Transactions on Radiation and Plasma Medical Sciences | Hybrid Open Access | 2469-7303 | ESCI | 4.6 | 3.6 | Q1 | 1.51 | 0.00298 | 0.925 | 8 |
| T-R | IEEE Transactions on Reliability | Hybrid Open Access | 1558-1721 | SCIE | 5.0 | 5.2 | Q1 | 1.55 | 0.00559 | 1.087 | 12.2 |
| T-RO | IEEE Transactions on Robotics | Hybrid Open Access | 1941-0468 | SCIE | 9.4 | 9.9 | Q1 | 2.01 | 0.01934 | 2.859 | 14.9 |
| T-SCM | IEEE Transactions on Semiconductor Manufacturing | Hybrid Open Access | 1558-2345 | SCIE | 2.3 | 3.1 | Q2 | 0.54 | 0.00168 | 0.564 | 5.2 |
| T-SC | IEEE Transactions on Services Computing | Hybrid Open Access | 1939-1374 | SCIE | 5.5 | 5.9 | Q1 | 2.76 | 0.00681 | 1.265 | 11.5 |
| T-SIPN | IEEE Transactions on Signal and Information Processing over Networks | Hybrid Open Access | 2373-776X | SCIE | 3.0 | 3.3 | Q2 | 0.81 | 0.00325 | 1.290 | 5.8 |
| T-SPI | IEEE Transactions on Signal and Power Integrity | Hybrid Open Access | 2768-1866 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-SP | IEEE Transactions on Signal Processing | Hybrid Open Access | 1941-0476 | SCIE | 4.6 | 5.2 | Q1 | 1.19 | 0.03593 | 1.897 | 11.2 |
| T-SG | IEEE Transactions on Smart Grid | Hybrid Open Access | 1949-3061 | SCIE | 8.6 | 9.6 | Q1 | 2.28 | 0.05716 | 2.654 | 22.1 |
| T-SE | IEEE Transactions on Software Engineering | Hybrid Open Access | 1939-3520 | SCIE | 6.5 | 7.0 | Q1 | 2.26 | 0.00641 | 1.251 | 9.7 |
| T-SUSC | IEEE Transactions on Sustainable Computing | Hybrid Open Access | 2377-3782 | SCIE | 3.0 | 3.3 | Q2 | 1.12 | 0.00147 | 0.766 | 7.7 |
| T-STE | IEEE Transactions on Sustainable Energy | Hybrid Open Access | 1949-3037 | SCIE | 8.6 | 8.6 | Q1 | 1.74 | 0.02210 | 2.468 | 21.4 |
| T-SMC | IEEE Transactions on Systems, Man, and Cybernetics: Systems | Hybrid Open Access | 2168-2232 | SCIE | 8.6 | 8.7 | Q1 | 1.77 | 0.05136 | 2.475 | 18.5 |
| T-TS | IEEE Transactions on Technology and Society | Hybrid Open Access | 2637-6415 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| T-THZ | IEEE Transactions on Terahertz Science and Technology | Hybrid Open Access | 2156-3446 | SCIE | 3.9 | 3.9 | Q2 | 1.02 | 0.00298 | 0.907 | 7.1 |
| T-TE | IEEE Transactions on Transportation Electrification | Hybrid Open Access | 2332-7782 | SCIE | 7.2 | 7.9 | Q1 | 1.64 | 0.01655 | 2.086 | 12.2 |
| T-UFFC | IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control | Hybrid Open Access | 1525-8955 | SCIE | 3.0 | 2.9 | Q1 | 1.05 | 0.00782 | 0.702 | 7.7 |
| T-VT | IEEE Transactions on Vehicular Technology | Hybrid Open Access | 1939-9359 | SCIE | 6.1 | 6.5 | Q1 | 1.49 | 0.08136 | 1.666 | 13 |
| T-VLSI | IEEE Transactions on Very Large Scale Integration (VLSI) Systems | Hybrid Open Access | 1557-9999 | SCIE | 2.8 | 2.8 | Q2 | 0.67 | 0.00684 | 0.693 | 6.4 |
| T-VCG | IEEE Transactions on Visualization and Computer Graphics | Hybrid Open Access | 1941-0506 | SCIE | 4.7 | 5.1 | Q1 | 1.56 | 0.01561 | 1.158 | 10.4 |
| T-WC | IEEE Transactions on Wireless Communications | Hybrid Open Access | 1558-2248 | SCIE | 8.9 | 8.6 | Q1 | 2.35 | 0.06471 | 2.654 | 18.6 |
| M-VT | IEEE Vehicular Technology Magazine | Hybrid Open Access | 1556-6080 | SCIE | 5.8 | 9.8 | Q1 | 1.65 | 0.00527 | 2.933 | 14.1 |

| | | | | | | | | | | | |
|----------|---|--------------------|-----------|------|------|------|-----|------|---------|-------|------|
| L-WC | IEEE Wireless Communications Letters | Hybrid Open Access | 2162-2345 | SCIE | 4.6 | 4.9 | Q1 | 1.40 | 0.02929 | 1.544 | 12.3 |
| M-WC | IEEE Wireless Communications Magazine | Hybrid Open Access | 1558-0687 | SCIE | 10.9 | 11.1 | Q1 | 2.64 | 0.01808 | 3.413 | 24.2 |
| J-AS | IEEE-CAA Journal of Automatica Sinica | Hybrid Open Access | 2329-9274 | SCIE | 15.3 | 10.3 | Q1 | 2.34 | 0.01596 | 2.762 | 23.5 |
| T-ASLPRO | IEEE Transactions on Audio, Speech and Language Processing | Hybrid Open Access | 2329-9304 | SCIE | 4.1 | 4.2 | Q1 | 1.31 | 0.00915 | 0.960 | 11.3 |
| T-CBBIO | IEEE Transactions on Computational Biology and Bioinformatics | Hybrid Open Access | 1557-9964 | SCIE | 3.6 | 3.2 | Q2 | 1.63 | 0.00783 | 0.786 | 7.5 |
| T-ON | IEEE Transactions on Networking | Hybrid Open Access | 1558-2566 | SCIE | 3.0 | 3.6 | Q2 | 0.80 | 0.00876 | 0.957 | 8.2 |
| T-MECH | IEEE/ASME Transactions on Mechatronics | Hybrid Open Access | 1941-014X | SCIE | 6.1 | 6.2 | Q1 | 1.53 | 0.02194 | 1.472 | 11.6 |
| M-ITPRO | IT Professional | Hybrid Open Access | 1941-045X | SCIE | 2.2 | 2.5 | Q3 | 0.58 | 0.00111 | 0.505 | 5 |
| J-LT | Journal of Lightwave Technology | Hybrid Open Access | 1558-2213 | SCIE | 4.1 | 4.1 | Q2 | 1.21 | 0.02692 | 0.810 | 9.4 |
| J-MEMS | Journal of Microelectromechanical Systems | Hybrid Open Access | 1941-0158 | SCIE | 2.5 | 2.6 | Q2 | 0.57 | 0.00277 | 0.490 | 6.2 |
| PROC | Proceedings of the IEEE | Hybrid Open Access | 1558-2256 | SCIE | 23.2 | 18.4 | Q1 | 4.40 | 0.02566 | 5.965 | 46.4 |
| M-AES | IEEE Aerospace and Electronic Systems Magazine | No Open Access | 1557-959X | SCIE | 3.4 | 3.2 | Q1 | 1.10 | 0.00170 | 0.726 | 8.2 |
| M-CAS | IEEE Circuits and Systems Magazine | No Open Access | 1558-0830 | SCIE | 5.6 | 5.2 | Q1 | 1.28 | 0.00085 | 1.370 | 9.3 |
| M-CI | IEEE Computational Intelligence Magazine | No Open Access | 1556-6048 | SCIE | 10.3 | 11.2 | Q1 | 1.76 | 0.00287 | 3.236 | 14.5 |
| M-CE | IEEE Consumer Electronics Magazine | No Open Access | 2162-2256 | SCIE | 3.7 | 3.4 | Q1 | 1.15 | 0.00187 | 0.631 | 10 |
| M-CS | IEEE Control Systems Magazine | No Open Access | 1941-000X | SCIE | 3.9 | 6.4 | Q2 | 0.63 | 0.00212 | 2.289 | 3.7 |
| M-D&T | IEEE Design & Test | No Open Access | 2168-2364 | SCIE | 1.9 | 1.9 | Q3 | 0.44 | 0.00097 | 0.442 | 3.8 |
| E-M | IEEE Electrification Magazine | No Open Access | 2325-5889 | ESCI | 2.5 | 2.9 | Q2 | 0.72 | 0.00121 | 0.936 | 5.8 |
| M-GRS | IEEE Geoscience and Remote Sensing Magazine | No Open Access | 2168-6831 | SCIE | 16.2 | 15.6 | Q1 | 2.72 | 0.00548 | 4.411 | 20.5 |
| M-IE | IEEE Industrial Electronics Magazine | No Open Access | 1941-0115 | SCIE | 5.6 | 7.5 | Q1 | 1.45 | 0.00267 | 2.275 | 14 |
| M-ITS | IEEE Intelligent Transportation Systems Magazine | No Open Access | 1941-1197 | SCIE | 4.3 | 4.4 | Q1 | 1.10 | 0.00292 | 0.986 | 8 |
| TLA | IEEE Latin America Transactions | No Open Access | 1548-0992 | SCIE | 1.3 | 0.9 | Q3 | 0.33 | 0.00168 | 0.156 | 3.5 |
| M-MW | IEEE Microwave Magazine | No Open Access | 1557-9581 | SCIE | 3.7 | 3.5 | Q2 | 0.82 | 0.00217 | 0.894 | 3.9 |
| M-NANO | IEEE Nanotechnology Magazine | No Open Access | 1942-7808 | ESCI | 2.3 | 2.3 | Q3 | 0.25 | 0.00045 | 0.542 | 2.9 |
| STM | IEEE Potentials | No Open Access | 1558-1772 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 1.4 |
| M-P&E | IEEE Power and Energy Magazine | No Open Access | 1558-4216 | SCIE | 3.1 | 3.2 | Q2 | 0.66 | 0.00182 | 1.016 | 5.1 |
| M-PEL | IEEE Power Electronics Magazine | No Open Access | 2329-9215 | ESCI | 2.6 | 2.9 | Q2 | 0.61 | 0.00077 | 0.887 | 2.8 |
| M-PULSE | IEEE Pulse | No Open Access | 2154-2317 | SCIE | 0.3 | 0.7 | Q4 | 0.07 | 0.00024 | 0.155 | 1.1 |
| M-SP | IEEE Signal Processing Magazine | No Open Access | 1558-0792 | SCIE | 9.4 | 18.0 | Q1 | 3.16 | 0.01465 | 6.201 | 27.2 |
| M-SSC | IEEE Solid-State Circuits Magazine | No Open Access | 1943-0590 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 2.5 |
| M-SMC | IEEE Systems, Man, and Cybernetics Magazine | No Open Access | 2333-942X | ESCI | 1.9 | 2.1 | Q3 | 0.40 | 0.00039 | 0.520 | N/A |
| M-T&S | IEEE Technology and Society Magazine | No Open Access | 1937-416X | SCIE | 2.1 | 2.7 | Q3 | 0.36 | 0.00079 | 0.686 | 3 |
| M-WIE | IEEE Women in Engineering Magazine | No Open Access | 1942-0668 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |